

**APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER
OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE
STATE OF NEVADA HERETOFORE APPROPRIATED**Date of filing in State Engineer's Office OCT 23 1989

Returned to applicant for correction _____

Corrected application filed _____ Map filed _____

The applicant Ernest and Donna TaylorP.O. Box 538of Eureka

Street and No. or P.O. Box No.

City or Town

Nevada 89316

State and Zip Code No.

hereby make application for permission to change the

point of diversion and place of use

Point of diversion, manner of use, and/or place of use

of water heretofore appropriated under permit no. 52924

(Identify existing right by Permit, Certificate, Proof or Claim Nos. If Decreed, give title of Decree and

identify right in Decree.)

1. The source of water is underground
Name of stream, lake, underground spring or other source.
2. The amount of water to be changed same, 0.12 cfs, not to exceed 20 ac-ft annually
Second feet, acre feet. One second foot equals 448.3 gallons per minute.
3. The water to be used for quasi-municipal
Irrigation, power, mining, industrial, etc. If for stock state number and kind of animals.
4. The water heretofore permitted for quasi-municipal
Irrigation, power, mining, industrial, etc. If for stock state number and kind of animals.
5. The water is to be diverted at the following point within lot 9, sec. 28, T. 20 N., R. 53 E., M.D.M., or at a point from which the SE corner of said sec. 28 bears S 46° 20' 21" E., a distance of 1,949.4 feet.
Describe as being within a 40-acre subdivision of public survey and by course and distance to a section corner. If on unsurveyed land, it should be stated.
6. The existing permitted point of diversion is located within parcel no. 2 of gov. lot 9, Section 28, T. 20 N., R. 53 E., M.D.M., from which the E $\frac{1}{4}$ corner of said sec. 29 bears N. 62° 35' 50" E., a distance of 1270.5 feet.
If point of diversion is not changed, do not answer
7. Proposed place of use SE $\frac{1}{4}$ NE $\frac{1}{4}$, SE $\frac{1}{4}$ sec. 14; SE $\frac{1}{4}$ NE $\frac{1}{4}$, N $\frac{1}{2}$ NE $\frac{1}{4}$ sec. 23; SW $\frac{1}{4}$ NW $\frac{1}{4}$, W $\frac{1}{2}$ SW $\frac{1}{4}$ sec. 13; W $\frac{1}{2}$ NW $\frac{1}{4}$ sec. 24, T. 19 N., R. 53 E., M.D.B. & M.
Describe by legal subdivisions. If for irrigation state number of acres to be irrigated.
8. Existing place of use parcel no. 2, gov. lot 9, sec. 29, T. 20 N., R. 53 E., M.D.M.
Describe by legal subdivisions. If permit is for irrigation, state number of acres irrigated. If changing place of use and/or manner of use of irrigation permit, describe acreage to be removed from irrigation.
9. Use will be from January 1 to December 31 of each year.
Month and Day Month and Day
10. Use was permitted from January 1 to December 31 of each year.
Month and Day Month and Day
11. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) turbine pump, 2 booster pump stations, and pipeline to existing storage tank.
State manner in which water is to be diverted, i.e., diversion structure, ditches, pipes and flumes, or drilled well, etc.
12. Estimated cost of works \$1,000,000.00
13. Estimated time required to construct works 2 years. Well is completed-16-inch diameter casing by 500-feet deep.

14. Estimated time required to complete the application of water to beneficial use..... 5 years

15. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use.

The water will be used in addition to other existing sources to supply the town of Eureka which serves a population of approximately 500 persons.

By Robert F. Lauder
S/Robert F. Lauder
800 E. Graves Ln.
Carson City, NV 89706

Compared cc/se

Protested

OF STATE ENGINEER

This is to certify I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

The amount of water to be changed shall be limited to the amount which can be applied to beneficial use, and not to exceed cubic feet per second.

Work must be prosecuted with reasonable diligence and be completed on or before

Proof of completion of work shall be filed before

Application of water to beneficial use shall be made on or before

Proof of the application of water to beneficial use shall be filed on or before

Map in support of proof of beneficial use shall be filed on or before

Completion of work filed

Proof of beneficial use filed

Cultural map filed

Certificate No. Issued

IN TESTIMONY WHEREOF, I, State Engineer of Nevada, have hereunto set my hand and the seal of my office, this day of A.D. 19

State Engineer

WITHDRAWN BY agent OCT 25 1989
STATE ENGINEER